

acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name AquaSnap Total

Product code(s) AQ-100X

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Laboratory and analytical use

## 1.3 Details of the supplier of the safety data sheet

Hygiena International 8 Woodshots Meadow Herts Croxley Park United Kingdom

Telephone: +44 (0) 1923 818821 Telefax: +44 (0)1923 818825

e-mail: customerserviceuk@hygiena.com

Website: www.Hygiena.com

#### 1.4 Emergency telephone number

Emergency information service +44 (0) 1923 818821

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

#### 2.2 Label elements

Labelling not required

#### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Australia: en Page: 1 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Pyrogen Free Water	CAS No 7732-18-5	75 – < 90		
Magnesium Acetate Tetrahy- drate	CAS No 16674-78-5	0.1 – < 1		
Potassium hydroxide	CAS No 1310-58-3	< 0.1	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
sodium azide	CAS No 26628-22-8	< 0.1	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 1 / H370 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 4 / H413	
DL-Dithiothreitol	CAS No 3483-12-3	< 0.1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	<u>(1)</u>
Ethylenediaminetetraacetic acid dipotassium salt di- hydrate	CAS No 25102-12-9	< 0.1		
Bovine Serum Albumin	CAS No 9048-46-8	< 0.1		
Beetle Luciferin, Potassium		< 0.1		
Benzethonium chloride	CAS No 121-54-0	< 0.1	Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Luciferase, Custom		< 0.1		
Tris	CAS No 77-86-1	< 0.1		

For full text of abbreviations: see SECTION 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Australia: en Page: 2 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Australia: en Page: 3 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

#### 7.3 Specific end use(s)

See section 16 for a general overview.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

This information is not available.

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Potassium hydroxide	1310-58-3	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
sodium azide	26628-22-8	DNEL	0.164 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
sodium azide	26628-22-8	DNEL	46.7 μg/kg	human, dermal	worker (industry)	chronic - systemic effects

Australia: en Page: 4 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

### Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
sodium azide	26628-22-8	PNEC	0.35 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
sodium azide	26628-22-8	PNEC	30 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium azide	26628-22-8	PNEC	16.7 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
sodium azide	26628-22-8	PNEC	0.72 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state	liquid
Colour	various
Odour	characteristic

Australia: en Page: 5 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

# Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	<0.1 hPa at 25 °C
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

# Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

# 9.2 Other information

Solvent content	79.59 %
Solid content	20.31 %

Australia: en Page: 6 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Potassium hydroxide	1310-58-3	oral	333 <sup>mg</sup> / <sub>kg</sub>
Benzethonium chloride	121-54-0	oral	295 <sup>mg</sup> / <sub>kg</sub>
sodium azide	26628-22-8	oral	5 <sup>mg</sup> / <sub>kg</sub>
sodium azide	26628-22-8	dermal	5 <sup>mg</sup> / <sub>kg</sub>
sodium azide	26628-22-8	inhalation: dust/mist	0.054 <sup>mg</sup> / <sub>l</sub> /4h
DL-Dithiothreitol	3483-12-3	oral	500 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Australia: en Page: 7 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

# 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Australia: en Page: 8 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

**14.1 UN number** not subject to transport regulations

14.2 UN proper shipping name not assigned
14.3 Transport hazard class(es) not assigned

**14.4 Packing group** not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

# **Information for each of the UN Model Regulations**

Transport information - National regulations - Additional information (UN RTDG)

not assigned

**International Maritime Dangerous Goods Code (IMDG)** 

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate

Australia: en Page: 9 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Australia: en Page: 10 / 11



acc. to Safe Work Australia - Code of Practice

# **AquaSnap Total**

Version number: 1.0 Date of compilation: 2020-12-15

Code	Text
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia: en Page: 11 / 11